BEST COPY

AVAILABLE

BEST- HARL-OUT FULDER

Approved For Release 1999/09/08 9 CIA RDF81B00879R000500090005-7 Factory Maintenance Spares Schedule ill Depot Purchase Request Factory Maint. Modef Line Unit Mfg. Catalog Type Used Starra Price or Spec. Number On Description No. Part No. 1,004,43 1,004.43 73-B "D" Panel Assy. - Cross 732815-501 G-1234 24, 33 24. 334 Dowel Pin 1/8 dia. x 1 1/4 lg. G-2 235 730185-167 100) 0 100 HS-732 /s Bl. Ox. 48.48 200 24. 24/ 200 Truarc #5555-12 Retaining Ring - Stl. Bl. Ox. HS-732

HS-732

73-B

73-B

HS-732

Film

Spool

87

36

32

150

20

87

36

32

20

0

0

0 150 95.70

18.24

189.00

1,10

1.53

.57

1.26

730187-115

738097

738203

738079

732487-C

730155-96

732002-76

Washer - Bevelled

Disc - Lug (Brake Disc)

Nut - Latch Pivot, Bottom

Bearing - Film Spool - 73-B

Clutch - Disc

Outboard

G-3 236

G-4 237

G-5 1238

G-7 240

G-8 341

239

Approved For Release 1999/09/08 #CIA-RDP81B00879R000500090005-7

Date 31 August 1957
Page 2 or 10

Schedule III

Rev	Item No.	Part No.	Description	Us.d. On	Mg. Catalog Lyne or Spic. Number	Perot Parces Recury	Factor Marst Spares	135	Unit Price	Pr ve
G- (243	730190-21	Brush Assy., Motor	73-B	2-1257	0	24	24	1.59	38. 16
G-11	244	730190-22	Brush Assy., Motor	73-B	8080-1	0	24	24	3,09	74.16
G-12	245	730190-23	Brush Assy., Motor	73-B	8205	0	24	24	3.75	90.00
G-13	246	730190-24	Brush Assy, Motor	73-B	4013	0	24	24	2.12	50.88
G-14	247	730190-25	Brush Assy., Motor	73-B	3443	0	24	24	1.06	25.44
G - 1	248	738126-E	Cam - Switch	HS-732	hist 2-ler. 8 canul	(Jb	70	54 96)	0 × 4.14	289. 80
G-16	249	735452-126	.0937 Dia. Reamer (high Speed Steel)	73-B		0	3) 4.45	13.35
G-17	250	735452-127	. 249 Dia. Reamer (High Speed Steel)	73-B	4	0	3	(3)) 5.74	17.22
G-18	74	730175-48	SeAssrowdFol-Reiddse 1999/09/0 Hd. Cup pt. Nylon	8 7ĈHARD	PS/1909879R0605000000005 1/4"length		100	15258	20 . 83/	20, 83

Approved For Release 1999/09/080 CAR ROP81B00879R000500090005-7

Page 3 of 10

Quantity

75

40

20

20

7.49

2.67

3.32

3,88

38,,8

0

0

0

0

75

40

20

20

10

Schedule III

255

256

257

258

259

G-25

G-26

G-27

738113-NC

738142-C

732956-NC

738337-A

738338-NC

Plate - Switch Cam

Worm Gear - Modified

Doubler - Oblique Drive

Adjusting

Spacer

	Line Item No.	Part No.	Description	Model Used On	Mig. Catalog Type or Spec. Number	Depot Purchase Request	Factory Maint. Spares	Tota!	Unit Price	P. ce
-1(251	730151-26	Holder, Fuse-Min. for 1/4 x 1/1/4 Fuse	HS-732	Littlefuse	0	70	15225	. 77	53.90
-20	252	730151- 3 1	Fuse - 1 amp. Quick acting	HS-732	Littlefuse	0	175 /	175	.20	35.0
-21	253	738043-NC	Plate - Limit Switch	HS-732		0	70	70	X 2.79	207.91
-22	254	738006-C	Decal - Wiring Diagram	HS-732		0	70	70	1.97	137, 9

HS-732

HS-732

73-B

73-B

Shopkobett FobRejues D # 1966/09/08 7 CHB RD P81B00879R000500090005-7 0

Approv	ed Fo	r Releas	± 1999/09/08	: CIA-RD	P81B00	879R000500	090005-7	
44 T. T.		Factor	Maintenar	ice Spa	ines :			
		11212		* 12, 1				- "
							14 To 14	
					A			

Depot Purchase Request Factory Mantt, ode. Unit Total Mig. Catalog T.pe lsed Item Pi 3 Price

	- 1			3 0			- 31		
							*	2 1	Λ
	. 1	1 6							. A
	1								
					20 20		14.5		
1 4 1					The state of the s				
		 				9.16			
	,			700					

1.					Mode
11	1				Used
					On
) -		Descr	intion	et and the second	1 011

Pari No. 73-B

737625-B Bolt - Adjust Arm Assy.

Pin - Drive - Lok 3/32 x 1/4 730185-135

Spacer - Shim Drive

Spacer - Shim Drive

Spacer - Shim Drive

Fuse Holder - 2 Pole

Spacer - Shim Drive

HS-732

HS-732

HS-732

HS-732

HS-732

73-B

HS-732 Littlefuse for 3AG fase

#357002 Type S

Type A

or Spec. Number

0 200 200

200

201)

200

0

5

500

70

200 200

200

200

20n

500

25.24

50, 88

50,88

126,20

60.40

42,00

32,60

G-35 267 738141 -60

Rev.

No.

G-29 261

G-30 262

G-31 263

G-32 264

G-33 265

G-34 266

735457-NC

730151-42

738141-2

738141-5

738141-15

G-36 268

Gage Assy. - Film Roller Approved For Release 1999/09/08: CIA-RDP81B00879R000500090005/7

0 .

Approved For Release 1998/09/08 o CIA RDP81B00879R000500090005-7

Factor Maintenance Spanes

Model Used

HS-732

HS-732

HS-732

Approved For Release 1999/09/08: CIA-RDP81B00879R000500090005-7

Page 5 of 10

29.33

29.33/

412.16/4

29.47

Quantity

100

200

100

200

20

0

0

School ale Ili

G-43 273

G-44 274

G-45 275

730185-66

738024-B

738028-F

Channel

8/8

Dowel Pin 1/8 dia. x 1/2 lg.

Bearing - Ring Support

Rev.	No.	Part No.	Description	On	or Spec. Number	Per Rec	Fac Ma Spa	Nins	Price	Price
G#7	43	732667-B	Motor Assy.	73 -1 3		- 0	4	4	34, 05	136, 20
								15258		
G-38	108	732937-C	IMC & Metering Assy.	73-B		∵0	4	(4)	459.04	1,836.16
								_		
G-39	269	730187-123	Ring, Retaining	HS-732	Truarc #5000-50	0	100	(00)	53.42/c	53.42
G-40	270	738124-25 C	Spacer - Trip Latch	HS-732		0	100	100	63.52/0	63.52
G-41	271	738362-7	Bearing - Flanged	73-B	ASCO #251 -277-20-304	0	26	26	1.32	.32
	1			1						

			Approved For Release 1999/09/0 Factor Mainte			j-7	Da Pa	.e <u>31</u> ge <u>6</u>	August 19	
	5. c	outcifi No <u>2</u>	Perision 7							
Lu _k	Lime Hein No.	Part No.	. De scriptión	Mode: Used On	Mfg. Catalog Type or Spec. Number	epot urchase equest	Kactor, Marri Spares	ri O	Unit Proce	X'a
G-(70	730170-68	Bearing, Ball . 196 ID x . 7480D	73-B	ND #87035	0	₹10∕	15245	3.45	34,50

73-B

73-B

73-B

H5-732

HS-732

HS-732

Approved For Release 1999/09/08: CIA-RD#81B00879R000500090005-

730145-3

730175-59

737692-A

738080-E

730129-39

730129-38

G-38 276

G-49 277

G-50 278

G-51 279

G-52 149

G-53 280

Diode

Solenoid - Trip

#738002-23

#738002-18

Switch (Start) Ship as

Switch (Limit) Ship as

Union Switch #S3W3PL

#10-32 x 3/8 Lg. Hex.

Soc. Flat pt. s/s b/o

. 0

0

0

0

0

27

100

10

15

70

100

10

15

70

48.87

26, 10

53.76

250, 80

45.60

1.81

6.72

25.08

3.04

1.89

Work Authorization

င် ခို ခို : CIA-RDP81Bထို879R000550009ထို05-7 ్లు 19**9**9/09/08 21.0 16.3 S ್ಷ ಕ್ರಿ Approved For Releas 265. 31 August 1957 10 .30 1,36 33, 19 2,36 25.50 25,50 25,50 Price Chi Ö (2 1 Total 30 70 K 8 Z, 00 Page Date saird Quantit 12 ν. • ") orga Corp 30 30 20 Kactot.) Maint 30 46 00 Redness Purchage Depot hist 2-10, 9 and 0 0 0 0 Lit & hery down (Replaces 730175-48) Asco 251-377-20-304 12 2 . Par 9 Can Mfg. Catalog Type Barber - Coleman or Spec. Number AYLZ -3639S Milliswitch Factor: Maintenance Spares 73-B B-Prog. 73-B Mode! Used 4S-732 HS-732 IS-732 HS-732 O Bearing . 251 I.D. x . 377 O.D. Screw, 6-32 x 1/4" Slot Hd. Micropositioner Type L ~ Blade Assembly #3 Blade Assembly #4 Blade Assembly #2 Description Flat point Nylon Revision Switch B-2 Deleted Deleted N 738010-2D 738010-3D 738010 -4D 730175-58 730129-26 Part No. 732602-2 738362-7 Schedule III 1071 1071 rij. List No. Line Item န္တိ င်္ဂ ၆ ဥ င်္ဂ င်္ဂ 1999/09/08မှု CIA-RBP81B00879R009500090005-7 No. G-62 110 G-60 281 G-61 271 Approved For Release

Approved For Release 1999/09/08: CIA-RDP81B00879R000500090005-7

Factory Maintenance Spaces

10

Date 31 August 1957

Schedule III

List No.

Line Model Her Used Mig. Catalog Type Tot Unit Description or Spec. Number Price 15225 G-61 131 60) 738021 -C Spacer - Bearing Shaft HS-732 0 60 222,60 3.71 G-64 033 50) 730145-4 Rectifier - Center Mount 73-B G. E. IN152 0 50 3.13 156.50 G-65 184 738380 NC 73-B Contact Assembly 0 60 60 540.60 9.01 G-66 029 730125 -13 Relay-Time Delay 73-B G. V. Controls HF-04-10 10 265,20 26,52 N-28VDC G-67 164 738362-9 36 Lamp 2. 3 volt 2-56 thd. 73-B Type-CM110-E 36 . 2. 05 73,80 G-68 155 730160-66 Wire - 24 Ga. Black BU19 x 36 CA-5-5611 150 73-B 150 5.40/ 8,10 G-69 187 73-B 738362-8 Bearing . 189 I.D. x . 315 O.D. Asco 189-315-16-284 11,82 1.97 G-70 064 730145-3 Diode S3W3PL 100 100 180.49/4 180.49 73-B Union Switch 0 Approved For Release 1999/09/08: CIA-RDP81B00879R000500090005-7

Approved For Release 1999/09/08: CIA-RDP81B00879R000500090005-7

Jactory Maintenance Spares

1.1	e No.		Revision 7							
4	Linc	Part Kô.		Mudel Used On	Mig. Cataiog Type or Spec. Number	Depot Purchane Request, D	Factory Maint. Spares	#10.1 /	Unit Price	Tc (Price
G-71		732602-32	Relay	Prog.	Advance Pc3C-24VDC	0	10	10	12.21	122.10
G-72	042	732602-5	Relay	Prog.	Advance PG2A-24VDC	0	10	10	13.04	130.40
G-73	282	Item	Deleted							
G-74	283	Item	Deleted				i i			
G-75	284	Item	Deleted							
G-76	165	736148 "A"	Spring -Arresting Latch	HS-732		0	,12	12	3.45	41.40
G-77	285	7 38088 -1 6A	Plate-Aperture F/16	HS-732		0	36	36	5,98	215.28
G-78	286	738088 -22A	Plate - Aperture F/22	HS-732		0	36	36	5.98	215.28

Approved For Release 1999/09/08 CIA-RDP81B00879R000500090005-7

Approved For Release 1998/09/08/05/ARDP81B00879R000500090005-7
Factory Maintenance Spares

Page : 10 - 00 - 10 -

Schedule III

	List	No. 2	Revision 7							
						Q	luantit	y		
Ret.	Line Item No.	Part No.	Description	Model Used On	Mig. Catalog Type or Spec. Number	Depot Purchase Request	Factory Maint Spares	Total	Unit Price	7 al Parce
								1522		
G-79	105	738143-B	Motor and Gear Assembly	HS-732		0	8	8	164.16	1,313,28
G-80	288	732961	Bracket - Relay	73-B		0	27	27	6.24	1 68.4 8
G-81	31	730125-9	Relay - Sub Miniature DPDT 24-28 VDC	73-B	Allied Controls MHO-6D	0	-Ž1	27	22.91	∄ 618.57
G-82	289	732958-NC	Cam Assy I. M. C.	Film Driv 73-B	23 -15258 3-15270 1-15323	0	27	27	112,60	3, (1.20
G-\$	287	730184-107	Spacer - Shim 303 S/S 1/8 ID x 3/16 OD x . 012 thick	73-B	PIC #B4-5	0	300	300	25,22	√c 75.66
			Grand Total							21, 301, 19
			Approved For Release 1999/09/0	8 : CIA-RDI	 81B00879R000500090005-	}				